

METHODS





FIG. 1

[illegible]

**FIG. 3**

10066992.020402

```
graph TD; A[OBTAIN CARTILAGE FROM A PATIENT] --> B[SEPARATE CHONDROCYTES FROM PATIENT'S CARTILAGE]; B --> C[CULTURE CHONDROCYTES TO OBTAIN ADEQUATE SAMPLE]; C --> D[PLATE AND GROW CHONDROCYTES ON A SCAFFOLD OR TEMPLATE TO BE USED FOR SURGICAL REPAIR]; D --> E[SURGICALLY IMPLANT INTO THE PATIENT THE SCAFFOLD OR TEMPLATE HAVING CHONDROCYTES GROWN THEREIN];
```

OBTAIN CARTILAGE FROM A PATIENT

SEPARATE CHONDROCYTES FROM
PATIENT'S CARTILAGE

CULTURE CHONDROCYTES TO
OBTAIN ADEQUATE SAMPLE

PLATE AND GROW CHONDROCYTES
ON A SCAFFOLD OR TEMPLATE TO BE
USED FOR SURGICAL REPAIR

SURGICALLY IMPLANT INTO THE
PATIENT THE SCAFFOLD OR
TEMPLATE HAVING CHONDROCYTES
GROWN THEREIN

FIG. 4